

Appendix B-5

References

(organized by Level 3 Biological Performance Attribute)

Channel Stability

- Beamer, E.M. and G.R. Pess. 1999. Effects of peak flows on chinook (*Oncorhynchus tshawytscha*) spawning success in two Puget Sound River basins. Pages 67-70 in R. Sakrison and P. Sturtevant (eds.) *Watershed management to protect declining species*. American Water Resources Association, Middleburg, VA.
- Bjornn, T.C. and D.W. Reiser. 1991. Habitat requirements of salmonids in streams. Pages 83-138 in W. R. Meehan, (ed.) *Influences of Forest and Rangeland Management on Salmonid Fishes and their Habitats*. American Fisheries Society, Bethesda, MD.
- DeVries, P. 1997. Riverine salmonid egg burial depths: review of published data and implications for scour studies. *Canadian Journal of Fisheries and Aquatic Sciences* 54: 1685-1698.
- Lisle, T.E. 1989. Sediment transport and resulting deposition in spawning gravels, North Coastal California. *Water Resources Research* 25(6): 1303-1319.
- Montgomery, D.R., J.M. Buffington, N.P. Peterson D. Scheutt-Hames, and T.P. Quinn. 1996. Streambed scour, egg burial depths and the influence of salmonid spawning on bed surface mobility and embryo survival. *Canadian Journal of Fisheries and Aquatic Sciences* 53: 1061-1070.
- Montgomery, D.R., E.M. Beamer, G.R. Pess, and T.P. Quinn. 1999. Channel type and salmonid distribution and abundance. *Canadian Journal of Fisheries and Aquatic Sciences* 56: 377-387.
- Peterson, N.P., A. Hendry, and T.P. Quinn. 1992. Assessment of cumulative effects on salmonid habitat: some suggested parameters and target conditions. Report TFW-F3-92-001, Northwest Indian Fisheries Commission and Washington Department of Fish and Wildlife, Olympia, WA.
- Seiler, D., L. Kishimoto, and S. Newhauser. 1998. 1997 Skagit River wild 0+ chinook production evaluation. Washington Department of Fish and Wildlife, Olympia, WA.

Chemicals (includes all toxic substances)

- Doudoroff, P. 1976. Toxicity of fish of cyanides and related compounds—a review. U.S. Environmental Protection Agency, EPA-600/3-76-038.

Giattina, J.D., and R.R. Garton. 1983. A review of preference-avoidance responses of fish to aquatic contaminants. Pages 44-89 in F.A. Gunther and J.D. Gunther (eds.) Residue Reviews—Residues of Pesticides and Other Contaminants in the Total Environment. Springer-Verlag. New York, NY.

Katz, M., D.E. Sjolseth, and D.R. Anderson. 1970. Review of the literature regarding the effects of water pollution on freshwater fish. In A review of the literature of 1969 on wastewater and water pollution control. Journal Water Pollution Control Federation 42(6)

Spence, B.C., G.A. Lomnický, R.M. Hughes, and R.P. Novitzki. 1996. An ecosystem approach to salmonid conservation. Report by Management Technology, TR-4501-96-6057.

Sprague, J.B., P.F. Elson, and R.L. Saunders. 1965. Sublethal copper-zinc pollution in a salmon river—a field and laboratory study. Pages 61-83 in O. Jaag (ed.) Advances in Water Pollution Research. Pergamon Press.

Competition

Begon, M. and M. Mortimer. 1986. Population Ecology: Unified Study of Animals and Plants, 2nd edition. Blackwell Scientific Publications, Oxford.

Allan, J.D. 1995. Stream Ecology—Structure and Function of Running Waters. Chapman and Hall, New York, NY.

Ptolemy, R.A. 1993. Maximum salmonid densities in fluvial habitats in British Columbia. Pages 223-250 in Proceedings of the 1992 Coho Workshop, Association of Professional Biologists of British Columbia and North Pacific International Chapter of the American Fisheries Society.

Stein, R.A., P.E. Reimers, and J.D. Hall. 1972. Social interaction between juvenile coho (*Oncorhynchus kisutch*) and fall chinook salmon (*O. tshawytscha*) in Sixes River, Oregon. Journal of the Fisheries Research Board of Canada 29: 1737-1748.

Steward, C.R., and T.C. Bjornn. 1990. Supplementation of salmon and steelhead stocks with hatchery fish: a synthesis of published literature. Part 2 In W.H. Miller (ed.) Analysis of salmon and steelhead supplementation, Parts 1-3. Technical Report 90-1, Bonneville Power Administration. U.S. Department of Energy, Portland, OR.

Flow

Au, D.W.K. 1972. Population dynamics of the coho salmon and its response to logging in three coastal streams. Ph.D. dissertation. Oregon State Univ., Corvallis, OR.

Beamer, E.M. and G.R. Pess. 1999. Effects of peak flows on chinook (*Oncorhynchus tshawytscha*) spawning success in two Puget Sound River basins. Pages 67-70 in R. Sakrison and P. Sturtevant (eds.) Watershed management to protect declining species. American Water Resources Association, Middleburg, VA.

Bjornn, T.C. and D.W. Reiser. 1991. Habitat requirements of salmonids in streams. Pages 83-138 in W. R. Meehan, (ed.) Influences of Forest and Rangeland Management on Salmonid Fishes and their Habitats. American Fisheries Society, Bethesda, MD.

Gordon, N.D., T.A. McMahon, and B.L. Finlayson. 1992. Stream Hydrology: An Introduction for Ecologists. John Wiley & Sons, Ltd., West Sussex, England.

Holtby, L.B. 1988. Effects of logging on stream temperatures in Carnation Creek, British Columbia, and associated impacts on the coho salmon (*Oncorhynchus kisutch*). Can. J. Fish. Aqu. Sci. 45:502-515.

Lestelle, L.C., M.L. Rowse, and C. Weller. 1993b. Evaluation of natural stock improvement measures for Hood Canal coho salmon. TR 93-1. Point No Point Treaty Council, Kingston, WA.

Onodera, K. 1962. Carrying capacity in a trout stream. Bulletin of the Freshwater Fisheries Research Laboratory 12, No.1: 40 pp.

Seiler, D., L. Kishimoto, and S. Newhauser. 1998. 1997 Skagit River wild 0+ chinook production evaluation. Washington Department of Fish and Wildlife, Olympia, WA.

Food

Bilby, R.E., B.R. Fransen, and P. A. Bisson. 1996. Incorporation of nitrogen and carbon from spawning coho salmon into the trophic system of small streams: evidence from stable isotopes. Canadian Journal of Fisheries and Aquatic Sciences 53(1):164-173.

Bilby, R.E., B.R. Fransen, P. A. Bisson, and J.W. Walter. 1998. Response of juvenile coho salmon (*Oncorhynchus kisutch*) and steelhead (*Oncorhynchus mykiss*) to the addition of salmon carcasses to two streams in Southwestern Washington, U.S.A. Canadian Journal of Fisheries and Aquatic Sciences 55: 1909-1918.

Chapman, D.W., and T.C. Bjornn. 1969. Distribution of salmonids in streams, with special reference to food and feeding. Pages 153-176 in T.G. Northcote (ed.), Symposium on salmon and trout in streams. H.R. MacMillan Lectures in Fisheries. Univ. British Columbia, Institute of Fisheries, Vancouver, BC.

Cederholm, C.J., and 13 coauthors. 2000. Pacific salmon and wildlife – ecological contexts, relationships, and implications for management. Special edition technical report, prepared for D.H. Johnson and T.A. O'Neil (Manag. Dirs.), Wildlife-Habitat Relationships in Oregon and Washington. Washington Department of Fish and Wildlife, Olympia, WA.

Federal Interagency Stream Restoration Working Group. 1998. Stream Corridor Restoration – Principles, Processes, and Practices. Joint Report of Federal Agencies.

- Healey, M.C. 1991. Life history of chinook salmon (*Oncorhynchus tshawytscha*). Pages 313-393 in C. Groot and L. Margolis (eds.) Pacific Salmon Life Histories. UBC Press, Vancouver, Canada.
- Kline, T.C., Jr., J.J. Goering, O.A. Mathisen, P.H. Poe, P.L. Parker, and R.S. Scalan. 1993. Recycling of elements transported upstream by runs of Pacific salmon: II . $\delta^{15}\text{N}$ and $\delta^{13}\text{C}$ evidence in the Kvichak River watershed. Bristol Bay, Southwestern Alaska. Canadian Journal of Fisheries and Aquatic Sciences 50: 2350-2365.
- Ptolemy, R.A. 1993. Maximum salmonid densities in fluvial habitats in British Columbia. Pages 223-250 in Proceedings of the 1992 Coho Workshop, Association of Professional Biologists of British Columbia and North Pacific International Chapter of the American Fisheries Society.
- Waters, T.F. 1969. Invertebrate drift-ecology and significance to stream fishes. Pages 121-134 in T.G. Northcote (ed.), Symposium on salmon and trout in streams. H.R. MacMillan Lectures in Fisheries. Univ. British Columbia, Institute of Fisheries, Vancouver, BC.
- Wipfill, M.S., J.P. Hudson, D.T. Chaloner, J.P. Caouette. 1999. Influence of salmon spawner densities on stream productivity in Southeast Alaska. Canadian Journal of Fisheries and Aquatic Sciences 56: 1600-1611.

Habitat Diversity

- Beamer, E.M. and R.A. Henderson. 1998. Juvenile salmonid use of natural and hydromodified stream bank habitat in the mainstem Skagit River, Northwest Washington. Report prepared for U.S. Army Corps of Engineers, Seattle District. Skagit System Cooperative Report, La Conner, WA.
- Beechie, T.J. 1998. Rates and pathways of recovery for sediment supply and woody debris recruitment in northwestern Washington streams, and implications for salmonid habitat restoration.
- Bisson, R.A., R.E. Bilby, M.D. Bryant, C.A. Dolloff, G.B. Grette, R.A. House, M.J. Murphy, K.V. Koski, and J.R. Sedell. 1987. Large woody debris in forested streams in the Pacific Northwest: past, present, and future. Pages 143-190 in E.O. Salo and T.W. Cundy (eds.) Streamside management: forestry and fishery interactions. Institute of Forest Resources, University of Washington, Seattle, WA.
- Bjornn, T.C. and D.W. Reiser. 1991. Habitat requirements of salmonids in streams. Pages 83-138 in W. R. Meehan, (ed.) Influences of Forest and Rangeland Management on Salmonid Fishes and their Habitats. American Fisheries Society, Bethesda, MD.
- Hayman, R.A., E.M. Beamer, and R.E. McClure. 1996. FY 1995 Skagit River Chinook Restoration Research Report No. 1. Skagit System Cooperative. La Conner, WA.

- Maser, C. and J.R. Sedell. 1994. From the Forest to the Sea: the Ecology of Wood in Streams, Rivers, Estuaries, and Oceans, St. Lucie Press, Delray Beach, Florida.
- Montgomery, D.R., and J.M. Buffington. 1993. Channel classification , prediction of channel response, and assessment of channel condition. Report TFW-SH10-93-002. Northwest Indian Fisheries Commission and Washington Department of Fish and Wildlife, Olympia, WA.
- Peters, R.J., E.E. Knudsen, J. Cederholm, W.J. Scarlett, and G.B. Pauley. 1992. Preliminary results of woody debris use by summer rearing juvenile coho salmon (*Oncorhynchus kisutch*) in the Clearwater River, Washington. *Unpubl. manu.* Fishery Resource Office, U.S. Fish and Wildlife Service, Olympia, WA.
- Peterson, N.P., A. Hendry, and T.P. Quinn. 1992. Assessment of cumulative effects on salmonid habitat: some suggested parameters and target conditions. Report TFW-F3-92-001, Northwest Indian Fisheries Commission and Washington Department of Fish and Wildlife, Olympia, WA.

Key Habitat

- Bisson, P.A., J.L. Nielsen, R.A. Palmason, and L.E. Grove. 1982. A system of naming habitat types in small streams, with examples of habitat utilization by salmonids during low streamflow. Pages 62-73 in N.B. Armantrout, (ed.) Aquisition and utilization of aquatic habitat inventory information. American Fisheries Society, Western Division, Bethesda, MD.
- Bjornn, T.C. 1971. Trout and salmon movements in two Idaho streams as related to temperature, food, stream flow, cover, and population density. Transactions of the American Fisheries Society 100(3): 423-438.
- Bjornn, T.C. and D.W. Reiser. 1991. Habitat requirements of salmonids in streams. Pages 83-138 in W. R. Meehan, (ed.) Influences of Forest and Rangeland Management on Salmonid Fishes and their Habitats. American Fisheries Society, Bethesda, MD.
- Chapman, D.W., and T.C. Bjornn. 1969. Distribution of salmonids in streams, with special reference to food and feeding. Pages 153-176 in T.G. Northcote (ed.), Symposium on salmon and trout in streams. H.R. MacMillan Lectures in Fisheries. Univ. British Columbia, Institute of Fisheries, Vancouver, BC.
- Hawkins, C.P. and 10 coauthors. 1993. A hierarchical approach to classifying stream habitat features. Fisheries (Bethesda) 18(6): 3-12.
- Hayman, R.A., E.M. Beamer, and R.E. McClure. 1996. FY 1995 Skagit River Chinook Restoration Research Report No. 1. Skagit System Cooperative. La Conner, WA.

Healey, M.C. 1991. Life history of chinook salmon (*Oncorhynchus tshawytscha*). Pages 313-393 in C. Groot and L. Margolis (eds.) Pacific Salmon Life Histories. UBC Press, Vancouver, Canada.

Reimers, P.E. 1973. The length of residence of juvenile fall chinook salmon in Sixes River, Oregon. Research Reports of the Fish Commission of Oregon. 4:2, Portland, OR.

Oxygen

Bjornn, T.C. and D.W. Reiser. 1991. Habitat requirements of salmonids in streams. Pages 83-138 in W. R. Meehan, (ed.) Influences of Forest and Rangeland Management on Salmonid Fishes and their Habitats. American Fisheries Society, Bethesda, MD.

Hynes, H.B.N. 1970. The Ecology of Running Waters. University of Toronto Press.

Shumway, D.L., C.E. Warren, and P. Doudoroff. 1964. Influence of oxygen concentration and water movement on the growth of steelhead trout and coho salmon embryos. Transactions of the American Fisheries Society 93:342-356.

Wickett, W.P. 1954. The oxygen supply to salmon eggs in spawning beds. Journal of the Fisheries Research Board of Canada 11(6): 933-953.

Pathogens

Bartholomew, J.L., J.L. Fryer, and J.S. Rohovec. 1992. Impact of myxosporean parasite *Ceratomyxa shasta* on survival of migrating Columbia River basin salmonids. Pages 33-41 in R.S. Svjcek (ed.) Control of disease in aquaculture. Proceedings of the 19th U.S.-Japan Meeting on Aquaculture Ise, Mie Prefecture, Japan. October 29-30, 1990. U.S. Department of Commerce, NOAA Technical Report NMFS 111.

Bartholomew, J.L., M.J. Whipple, D.G. Stevens, and J.L. Fryer. 1997. The life cycle of *Ceratomyxa shasta*, a myxosporean parasite of salmonids, requires a freshwater polychaete as an intermediate host. Journal of Parasitology 83:

Markiw, M.E., and K. Wolf. 1983. *Myxosoma cerebralis*: (Myxozoa: Myxosporea) etiological agent of salmonid whirling disease requires tubificid worm (Annelida: Oligochaeta) in its life cycle. Journal of Protozoology 30: 561-564.

Mulcahy, D., J. Burke, R. Pascho, and C.K. Jenes. 1982. Pathogenesis of Infectious Hematopoietic Necrosis Virus in adult sockeye salmon. Journal Fisheries Research Board of Canada 39(8): 1144-1149.

Williams, I.V., and D.F. Amend. 1976. A natural epizootic of infectious hematopoietic necrosis in fry of sockeye salmon (*Oncorhynchus nerka*) at Chilko Lake, British Columbia. Journal Fisheries Research Board of Canada 33: 1564-1567.

Predation

- Allan, J.D. 1995. Stream Ecology—Structure and Function of Running Waters. Chapman and Hall, New York, NY.
- Begon, M. and M. Mortimer. 1986. Population Ecology: Unified Study of Animals and Plants, 2nd edition. Blackwell Scientific Publications, Oxford.
- Beamesderfer, R.C.P., D.L. Ward, and A.A. Nigro. 1996. Evaluation of the biological basis for a predator control program on northern squawfish (*Ptychocheilus oregonensis*) in the Columbia and Snake rivers. Canadian Journal of Fisheries and Aquatic Sciences 53: 2898-2908.
- Roby, D.D., D.P. Craig, K. Collis, and S.L. Adamany. 1998. Avian predation on juvenile salmonids in the Columbia River basin. Annual Report prepared for Bonneville Power Administration, Contract No. 97BI33475, Portland, OR.
- Zimmerman, M.P., and D.L. Ward. 1999. Index of predation on juvenile salmonids by northern pikeminnow in the lower Columbia River basin, 1994-1996. Transactions of the American Fisheries Society 128(6): 995-1007.

Sediment Load

- Bjornn, T.C. and D.W. Reiser. 1991. Habitat requirements of salmonids in streams. Pages 83-138 in W. R. Meehan, (ed.) Influences of Forest and Rangeland Management on Salmonid Fishes and their Habitats. American Fisheries Society, Bethesda, MD.
- Chapman, D.W. 1988. Critical review of variables used to define effects of fines in redds of large salmonids. Transactions of the American Fisheries Society 117:1-21.
- Lisle, T.E. 1989. Sediment transport and resulting deposition in spawning gravels, North Coastal California. Water Resources Research 25(6): 1303-1319.
- McHenry, M.L., D.C. Morrill, and E. Currence. 1994. Spawning gravel quality, watershed characteristics and early life history survival of coho salmon and steelhead in five North Olympic Peninsula watersheds. Lower Elwha S'Klallam Tribe unpublished report. Port Angeles, WA.
- Rittmueller, J.F. 1986. Effects of logging roads on the composition of spawning gravel in streams of the west slope Olympic Mountains, Washington. M.S. Thesis, University of Washington, Seattle, WA.
- Peterson, N.P., A. Hendry, and T.P. Quinn. 1992. Assessment of cumulative effects on salmonid habitat: some suggested parameters and target conditions. Report TFW-F3-92-001, Northwest Indian Fisheries Commission and Washington Department of Fish and Wildlife, Olympia, WA.

Tagart, J.V. 1984. Coho salmon survival from egg deposition to fry emergence. *In* J.M. Walton and D.B. Houston, (eds.), Proceedings of the Olympic wild fish conference. Peninsula Coll. Fish. Technol. Prog., Port Angeles, WA.

Waters, T.F. 1995. Sediment in streams—sources, biological effects, and control. American Fisheries Society Monograph 7.

Temperature

Bjornn, T.C. and D.W. Reiser. 1991. Habitat requirements of salmonids in streams. Pages 83-138 *in* W. R. Meehan, (ed.) Influences of Forest and Rangeland Management on Salmonid Fishes and their Habitats. American Fisheries Society, Bethesda, MD.

McCullough, D.A. 1999. A review and synthesis of effects of alterations to the water temperature regime on freshwater life stages of salmonids, with special reference to chinook salmon. Report prepared for U.S. Environmental Protection Agency, Columbia River Inter-Tribal Fish Commission. Portland, OR.

McNeil, W.J. 1969. Survival of pink and chum salmon eggs and alevins. Pages 101-117 *in* T.G. Northcote (ed.), Symposium on Salmon and Trout in Streams. H.R. MacMillan Lectures in Fisheries, Univ. British Columbia, Institute of Fisheries, Vancouver, BC.

Torgersen, C.E., D.M. Price, H.W. Li, and B.A. McIntosh. 1999. Multiscale thermal refugia and stream habitat associations of chinook salmon in northeastern Oregon. *Ecological Applications* 9(1): 301-319.

Withdrawals

Spence, B.C., G.A. Lomnicky, R.M. Hughes, and R.P. Novitzki. 1996. An ecosystem approach to salmonid conservation. Report by Management Technology, TR-4501-96-6057.